

81

- 5

9. A method of treating a processed fluid pipe line susceptible to the build up of iron sulfide deposits by complexing iron sulfide found in said processed fluid pipe line, the method comprising adding to said processed fluid pipe line a composition comprising: water, [tetrakis (hydroxymethyl) phosphonium] sulfate and a soluble ammonium salt, said compound being added in a quantity at least sufficient to complex iron sulfide in said processed fluid pipe line.

11. The method of claim 9 wherein said composition is added continuously to said processed fluid pipe line.

12. The method of claim 9 wherein said composition is added intermittently to said processed fluid pipe line.

13. A method of treating (a processed fluid) pipe line susceptible to the build up of iron sulfide deposits by complexing iron sulfide found in said (processed fluid) pipe line, the method comprising adding to said (processed fluid) pipeline a composition comprising: water, [tetrakis (hydroxymethyl) phosphonium] chloride and a soluble ammonium salt, said compound being added in a quantity at least sufficient to complex iron sulfide in said processed fluid pipe line.

14. The method of claim 13 wherein said [tetrakis (hydroxymethyl) phosphonium] chloride comprises 5% by weight of the composition.

15. The method of claim 13 wherein said composition is added continuously to said processed fluid pipe line.

16. The method of claim 13 wherein said composition is added intermittently to said processed fluid pipe line.

10044767.011002